

WEST Search History

10/16/00, 200

DATE: Saturday, October 14, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L7	L6 and wild near type	8
<input type="checkbox"/>	L6	L5 and barley	12
<input type="checkbox"/>	L5	(lox1 or loxA or lox-A or lox-1) near3 (mutant or mutated)	13
<input type="checkbox"/>	L4	L3 and (kernel or grain)	5
<input type="checkbox"/>	L3	L2 and wild near type	10
<input type="checkbox"/>	L2	barley and (lox1 or loxA) and (flavor or beverage or malt? or brew? or stable or stability) and (mutant or deficiency or deficient)	19
<input type="checkbox"/>	L1	mutant near3 barley and (lox1 or loxA)	2

END OF SEARCH HISTORY

WEST Search History

DATE: Saturday, October 14, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L7	L5 and barley	1
<input type="checkbox"/>	L6	L5 and barley and (Lox or lipxygenase)	0
<input type="checkbox"/>	L5	5993865	2
<input type="checkbox"/>	L4	6274350	3
<input type="checkbox"/>	L3	L2 and barley	0
<input type="checkbox"/>	L2	L1 and (lox or lipxygenase)	2
<input type="checkbox"/>	L1	6150145	2

END OF SEARCH HISTORY

10/800,000

WEST Search History

DATE: Saturday, October 14, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	L3 and (kernel or grain)	5
<input type="checkbox"/>	L3	L2 and wild near type	10
<input type="checkbox"/>	L2	barley and (lox1 or loxA) and (flavor or beverage or malt? or brew? or stable or stability) and (mutant or deficiency or deficient)	19
<input type="checkbox"/>	L1	mutant near3 barley and (lox1 or loxA)	2

END OF SEARCH HISTORY

10/800,200

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal649mxi

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 4 MAY 10 CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS 5 MAY 11 KOREAPAT updates resume
NEWS 6 MAY 19 Derwent World Patents Index to be reloaded and enhanced
NEWS 7 MAY 30 IPC 8 Rolled-up Core codes added to CA/CAPLUS and
USPATFULL/USPAT2
NEWS 8 MAY 30 The F-Term thesaurus is now available in CA/CAPLUS
NEWS 9 JUN 02 The first reclassification of IPC codes now complete in
INPADOC
NEWS 10 JUN 26 TULSA/TULSA2 reloaded and enhanced with new search and
and display fields
NEWS 11 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL
NEWS 12 JUL 11 CHEMSAFE reloaded and enhanced
NEWS 13 JUL 14 FSTA enhanced with Japanese patents
NEWS 14 JUL 19 Coverage of Research Disclosure reinstated in DWPI
NEWS 15 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 16 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 17 AUG 30 CA(SM)/CAPLUS(SM) Austrian patent law changes
NEWS 18 SEP 11 CA/CAPLUS enhanced with more pre-1907 records
NEWS 19 SEP 21 CA/CAPLUS fields enhanced with simultaneous left and right
truncation
NEWS 20 SEP 25 CA(SM)/CAPLUS(SM) display of CA Lexicon enhanced
NEWS 21 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS 22 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 23 SEP 28 CEABA-VTB classification code fields reloaded with new
classification scheme

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:15:25 ON 14 OCT 2006

=> d his

(FILE 'HOME' ENTERED AT 10:15:25 ON 14 OCT 2006)

=> file caplus biosis agricola medline caba wpix patents

FILE 'ENCOMPAT2' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE

ENTRY

TOTAL

SESSION

FULL ESTIMATED COST

0.42

0.42

FILE 'CAPLUS' ENTERED AT 10:16:39 ON 14 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 10:16:39 ON 14 OCT 2006

Copyright (c) 2006 The Thomson Corporation

FILE 'AGRICOLA' ENTERED AT 10:16:39 ON 14 OCT 2006

FILE 'MEDLINE' ENTERED AT 10:16:39 ON 14 OCT 2006

FILE 'CABA' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 CAB INTERNATIONAL (CABI)

FILE 'WPIX' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'CAOLD' ENTERED AT 10:16:39 ON 14 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CASREACT' ENTERED AT 10:16:39 ON 14 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CROPU' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'DGENE' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'DPCI' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'ENCOMPAT' ENTERED AT 10:16:39 ON 14 OCT 2006

EnComppat compilation and indexing Copyright 2006

Elsevier Inc. All rights reserved.

FILE 'EPFULL' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 European Patent Office / FIZ Karlsruhe

FILE 'FRANCEPAT' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 INPI

FILE 'FRFULL' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 Univentio

FILE 'FSTA' ENTERED AT 10:16:39 ON 14 OCT 2006

COPYRIGHT (C) 2006 International Food Information Service

FILE 'GBFULL' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Univentio

FILE 'IFIPAT' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 IFI CLAIMS(R) Patent Services (IFI)

FILE 'IMSPATENTS' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 IMSWORLD Publications Ltd.

FILE 'INPADOC' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 European Patent Office, Vienna (EPO)

FILE 'JAPIO' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Japanese Patent Office (JPO)- JAPIO

FILE 'KOREAPAT' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 KIPi

FILE 'LITALERT' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'NTIS' ENTERED AT 10:16:39 ON 14 OCT 2006
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2006)

FILE 'PAPERCHEM2' ENTERED AT 10:16:39 ON 14 OCT 2006
Paperchem2 compilation and indexing Copyright 2006
Elsevier Inc. All rights reserved.

FILE 'PATDD' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT 2006 (C) Deutsches Patent- und Markenamt (DPMA)

FILE 'PATDPA' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (c) 2006 Deutsches Patent- und Markenamt / FIZ Karlsruhe (DPMA/FIZ KA)

FILE 'PATDPAFULL' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 DPMA

FILE 'PATDPASPC' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Deutsches Patent- und Markenamt / FIZ Karlsruhe (DPMA/FIZ KA)

FILE 'PCTFULL' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Univentio

FILE 'PCTGEN' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 WIPO

FILE 'PIRA' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Pira International

FILE 'PROUSDDR' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Prous Science

FILE 'PS' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Thieme on STN

FILE 'RAPRA' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 RAPRA Technology Ltd.

FILE 'RDISCLOSURE' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Kenneth Mason Publications Ltd.

FILE 'RUSSIAPAT' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 FIPS

FILE 'SYNTHLINE' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 Prous Science

FILE 'TULSA' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 The University of Tulsa (UTULSA)

FILE 'TULSA2' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 The University of Tulsa (UTULSA)

FILE 'USPATFULL' ENTERED AT 10:16:39 ON 14 OCT 2006
CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 10:16:39 ON 14 OCT 2006
CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'WPIDS' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'WPIFV' ENTERED AT 10:16:39 ON 14 OCT 2006
COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'WPINDEX' ACCESS NOT AUTHORIZED

=> s mutant (2a) barley (p) (lox-1 or loxA or lox-A or lipoxygenase)
6 FILES SEARCHED...

PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
10 FILES SEARCHED...

PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
16 FILES SEARCHED...

PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
24 FILES SEARCHED...

PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
30 FILES SEARCHED...

PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BARLEY (P) '
42 FILES SEARCHED...

L1 41 MUTANT (2A) BARLEY (P) (LOX-1 OR LOXA OR LOX-A OR LIPOXYGENASE)

=> s mutant (2a) barley (5a) (lox-1 or loxA or lox-A or lipoxygenase)

6 FILES SEARCHED...

10 FILES SEARCHED...

24 FILES SEARCHED...

30 FILES SEARCHED...

42 FILES SEARCHED...

L2 41 MUTANT (2A) BARLEY (5A) (LOX-1 OR LOXA OR LOX-A OR LIPOXYGENASE)

=> s l2 and wild (w) type

15 FILES SEARCHED...

37 FILES SEARCHED...

L3 24 L2 AND WILD (W) TYPE

=> s 13 not py>2003
6 FILES SEARCHED...
17 FILES SEARCHED...
'2003' NOT A VALID FIELD CODE
31 FILES SEARCHED...
'2003' NOT A VALID FIELD CODE
L4 6 L3 NOT PY>2003

=> dup remov l4
DUPLICATE IS NOT AVAILABLE IN 'CAOLD, DGENE, DPCI, IMSPATENTS, LITALERT, PATDPASPC, PCTGEN, PROUSDDR, PS, RDISCLOSURE, SYNTHLINE'.
ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE
PROCESSING COMPLETED FOR L4
L5 4 DUP REMOV L4 (2 DUPLICATES REMOVED)

=> d his

(FILE 'HOME' ENTERED AT 10:15:25 ON 14 OCT 2006)

FILE 'CAPLUS, BIOSIS, AGRICOLA, MEDLINE, CABA, WPIX, CAOLD, CASREACT, CROPU, DGENE, DPCI, ENCOMPPAT, EPFULL, FRANCEPAT, FRFULL, FSTA, GBFULL, IFIPAT, IMSPATENTS, INPADOC, JAPIO, KOREAPAT, LITALERT, NTIS, PAPERCHEM2, PATDD, PATDPA, PATDPAFULL, PATDPASPC, ...' ENTERED AT 10:16:39 ON 14 OCT 2006

L1 41 S MUTANT (2A) BARLEY (P) (LOX-1 OR LOXA OR LOX-A OR LIPOXYGENAS
L2 41 S MUTANT (2A) BARLEY (5A) (LOX-1 OR LOXA OR LOX-A OR LIPOXYGENA
L3 24 S L2 AND WILD (W) TYPE
L4 6 S L3 NOT PY>2003
L5 4 DUP REMOV L4 (2 DUPLICATES REMOVED)

=> d l5 1-4

L5 ANSWER 1 OF 4 IFIPAT COPYRIGHT 2006 IFI on STN DUPLICATE 1
AN 10423120 IFIPAT;IFIUDB;IFICDB
TI LOW LIPOXYGENASE 1 BARLEY; HYBRID GENE; OXIDATION RESISTANCE; STORAGE STABILITY; BEER
IN van Mechelen Johannes Reinier (NL); Bech Lene Moelskov (DK); Cameron-Mills Verena (DK); Doderer Albert (NL); Douma Anna Christina (NL); Heistek Jolanda Carolina (NL); Schmitt Natalie (NL); Skadhauge Birgitte (DK)
PA Unassigned Or Assigned To Individual (68000)
PPA Brasseries Kronenbourg Par Actions S C FR (Probable)
PI US 2003167544 A1 20030904
AI US 2000-751687 20001229
FI US 2003167544 20030904
US 6660915 20031209
DT Utility; Patent Application - First Publication
FS CHEMICAL APPLICATION
OS CA 139:208886
CLMN 33
GI 22 Figure(s).
FIG. 1 is a graph showing the effect of the inhibitor nordihydroguaiaretic acid (NDGA) on immuno-affinity purified lipoxxygenase 1 and 2 activity from embryos of 3 day germinated barley grain.
FIG. 2 is a graph showing the fresh weight of developing grain of Line G and cv Vintage from 5 days after flowering to fullmaturity (FM). Each determination is the mean single grain weight from 6 spikes.
FIG. 3 is a graph showing the dry weight of developing grain of Line G and cv Vintage from 5 days after flowering to fullmaturity (FM). Each determination is the mean single grain weight from 3 samples of 5 grain.
FIG. 4 is a graph showing total lipoxxygenase activity in developing grain of Line G and cv Vintage from 5 days after flowering to full-maturity

(FM).

FIG. 5 is a graph showing 9- and 13-HPOD products of linoleic acid oxidation by lipoxygenase activity in developing grain of Line G.

FIG. 6 is a graph showing total lipoxygenase activity in embryos of germinating grain of Line G and cv Vintage expressed as $\mu\text{mol/min/10 embryos}$ (U/10 embryos).

FIG. 7 is a graph showing 9-HPOD and 13-HPOD products of linoleic acid oxidation by lipoxygenase activity in embryos of germinating grain of Line G and cv Vintage, showing levels of 9HPOD and 13-HPOD.

FIG. 8 is a Western blot showing immunodetection of lipoxygenase 1 in embryos of developing grain of Line G and cv Vintage (wt) from 5 days after flowering to full-maturity (FM).

FIG. 9 is a Western blot showing immunodetection of lipoxygenase 1 in embryos of grain of Line G and cv Vintage (wild-type) germinated for 0-6 days.

FIG. 10 is a Northern blot probed with the 3' non-transcribed region of the *lox-1* cDNA and showing lipoxygenase 1 transcripts detected in developing grain of Line G and cv Vintage (wildtype) from 5 days after flowering to full-maturity (FM).

FIG. 11 is a Northern blot probed with the 3' non-transcribed region of the *lox-1* cDNA and showing lipoxygenase 1 transcripts detected in embryos of grain of Line G and cv Vintage (wt) germinated for 0-6 days.

FIGS. 12A-12G are a nucleotide sequence alignment of the promoter and transcribed region of the *lox-1* wild-type cv Vintage allele (WT) and the Line G allele (LG). The transcription start site (+1), ATG start codon (+69) and translation stop codon (+4231) in the gene sequences are underlined. Nucleotide mutations identified in the Line G allele are shown in bold italics and indicated by an asterisk.

FIG. 13 is a schematic presentation of the *lox-1* gene of cv Vintage (wild-type) and the mutant *lox-1* gene of Line G. The transcript from +1 to +4375 is composed of 7 exons (stippled boxes) and 6 introns (white boxes). Two mutations in the *lox-1* gene are indicated.

FIG. 14 is a schematic drawing of gene cassettes for transient expression of the wild-type *lox-1* cDNA and *lox-1* gene and the mutant *lox-1* gene from Line G. The lipoxygenase coding sequences were cloned between the constitutive maize ubiquitin promoter with intron 1 (Ubi-1) and the nos terminator.

FIG. 15 is a bar graph showing Lipoxygenase 1 activity in barley aleurone protoplasts transfected with gene cassettes containing the wild-type *lox-1* cDNA; the mutant *lox-1* gene from Line G; WT *lox-1* gene; and a control GUS reporter gene. Lipoxygenase activity in extracts of transfected protoplasts was assayed in microtiter plates by the oxidation of KI and quantitated spectrophotometrically. Lipoxygenase 1 activity was expressed as units per μg protein in the extract and is shown as the mean of 3 measurements from 2 replicate assays.

FIG. 16 is a sequence alignment demonstrating that a RFLP between the wild-type and mutant *lox-1* gene is due to a point mutation at nucleotide 2347, creating an additional AatII restriction site.

FIG. 17 is a schematic presentation of the *lox-1* PCR fragments amplified and cleaved in the polymerase chain reaction-cleavage amplified polymorphic site (PCR-CAPS) assay. The positions of PCR primers are indicated by arrows and the AatII sites are shown above the gene (sequence position). The exon and intron regions within the PCR product are distinguished by stippled and white boxes respectively, and the sizes of the AatII digestion fragments are given.

FIG. 18 is an electrophoretic agarose gel showing *lox-1* PCR fragments (652 bp) amplified in the first step of the PCR-CAPS assay from Line G and cv Vintage genomic DNA.

FIG. 19 is an electrophoretic agarose gel showing RFLP detected by PCR-CAPS in the wild-type and mutant *lox-1* gene. The AatII digestion fragments of the mutant gene include a unique 313 bp restriction fragment, indicated by an asterisk.

FIG. 20 is a table showing a back-crossing program for the single

recessive gene pair ll (low lipoxygenase trait) of Line G to cv Alexis. The LL genotype are plants expressing wild-type lipoxygenase activity (dominant allele), the ll genotype are plants expressing the low-lipoxygenase (recessive allele). Ll are heterozygous plants containing both the wild-type and the low-lipoxygenase allele. Since the low-lipoxygenase trait is a recessive trait, Ll plants show wild-type lipoxygenase activity. After each round of back-crossing (including self-pollination), the ll progeny is expected to represent 25% of the progeny. The observed frequencies of low-lipoxygenase activity are indicated. The calculated percentage of the cv Alexis genetic background having the homozygous low-lipoxygenase allele is indicated as % Alexis. FIG. 21 is an electrophoretic agarose gel showing PCR-CAPS detection of the mutant lox-1 gene in ll progeny of the Line G Alexis back-cross program. PCR-CAPS assay on genomic DNA of Line G (Lane 2), cv Vintage (Lane 3), ll progeny of 3rd (Lane 4) and 4th back-cross (Lanes 5-9). DNA ladder (Lane 1). Control, backcrossed high lox line (lane 10). FIGS. 22A-22B are a comparative alignment of amino acid sequences of soybean lipoxygenases LOX-1 (Gm1), LOX-2 (Gm2), LOX-3 (Gm3), and barley lipoxygenases LOX-1 (Hv1) and LOX-2 (Hv2).

L5 ANSWER 2 OF 4 IFIPAT COPYRIGHT 2006 IFI on STN
AN 03984326 IFIPAT;IFIUDB;IFICDB
TI LOW LIPOXYGENASE 1 BARLEY; MUTATED PROTEIN; STORAGE STABLE MALT, BEER AND
BREWED BEVERAGES
IN van Mechelen Johannes Reinier (NL); Bech Lene Moelskov (DK);
Cameron-Mills Verena (DK); Doderer Albert (NL); Douma Anna Christina
(NL); Heistek Jolanda Carolina (NL); Schmitt Natalie (NL); Skadhaug
Birgitte (DK)
PA Unassigned Or Assigned To Individual (68000)
PI US 6660915 B2 20031209
US 2003167544 A1 20030904
AI US 2000-751687 20001229
FI US 6660915 20031209
US 2003167544 20030904
DT Utility; REASSIGNED; Granted Patent - Utility, with Pre-Grant Publication
FS CHEMICAL
GRANTED
MRN 011778 MFN: 0132
012006 0319
CLMN 11
GI 29 Drawing Sheet(s), 29 Figure(s).
FIG. 1 is a graph showing the effect of the inhibitor nordihydroguaiaretic acid (NDGA) on immuno-affinity purified lipoxygenase 1 and 2 activity from embryos of 3 day germinated barley grain.
FIG. 2 is a graph showing the fresh weight of developing grain of Line G and cv Vintage from 5 days after flowering to fullmaturity (FM). Each determination is the mean single grain weight from 6 spikes.
FIG. 3 is a graph showing the dry weight of developing grain of Line G and cv Vintage from 5 days after flowering to fullmaturity (FM). Each determination is the mean single grain weight from 3 samples of 5 grain.
FIG. 4 is a graph showing total lipoxygenase activity in developing grain of Line G and cv Vintage from 5 days after flowering to full-maturity (FM).
FIG. 5 is a graph showing 9- and 13-HPOD products of linoleic acid oxidation by lipoxygenase activity in developing grain of Line G.
FIG. 6 is a graph showing total lipoxygenase activity in embryos of germinating grain of Line G and cv Vintage expressed as $\mu\text{mol/min/10 embryos}$ (U/10 embryos).
FIG. 7 is a graph showing 9-HPOD and 13-HPOD products of linoleic acid oxidation by lipoxygenase activity in embryos of germinating grain of Line G and cv Vintage, showing levels of 9HPOD and 13-HPOD.
FIG. 8 is a Western blot showing immunodetection of lipoxygenase 1 in embryos of developing grain of Line G and cv Vintage (wt) from 5 days

after flowering to full-maturity (FM).

FIG. 9 is a Western blot showing immunodetection of lipoxygenase 1 in embryos of grain of Line G and cv Vintage (wild-type) germinated for 0-6 days.

FIG. 10 is a Northern blot probed with the 3' non-transcribed region of the *lox-1* cDNA and showing lipoxygenase 1 transcripts detected in developing grain of Line G and cv Vintage (wildtype) from 5 days after flowering to full-maturity (FM).

FIG. 11 is a Northern blot probed with the 3' non-transcribed region of the *lox-1* cDNA and showing lipoxygenase 1 transcripts detected in embryos of grain of Line G and cv Vintage (wt) germinated for 0-6 days.

FIGS. 12A-12G are a nucleotide sequence alignment of the promoter and transcribed region of the *lox-1* wild-type cv Vintage allele (WT) and the Line G allele (LG). The transcription start site (+1), ATG start codon (+69) and translation stop codon (+4231) in the gene sequences are underlined. Nucleotide mutations identified in the Line G allele are shown in bold italics and indicated by an asterisk.

FIG. 13 is a schematic presentation of the *lox-1* gene of cv Vintage (wild-type) and the mutant *lox-1* gene of Line G. The transcript from +1 to +4375 is composed of 7 exons (stippled boxes) and 6 introns (white boxes). Two mutations in the *lox-1* gene are indicated.

FIG. 14 is a schematic drawing of gene cassettes for transient expression of the wild-type *lox-1* cDNA and *lox-1* gene and the mutant *lox-1* gene from Line G. The lipoxygenase coding sequences were cloned between the constitutive maize ubiquitin promoter with intron 1 (Ubi-1) and the nos terminator.

FIG. 15 is a bar graph showing Lipoxygenase 1 activity in barley aleurone protoplasts transfected with gene cassettes containing the wild-type *lox-1* cDNA; the mutant *lox-1* gene from Line G; WT *lox-1* gene; and a control GUS reporter gene. Lipoxygenase activity in extracts of transfected protoplasts was assayed in microtiter plates by the oxidation of KI and quantitated spectrophotometrically. Lipoxygenase 1 activity was expressed as units per fg protein in the extract and is shown as the mean of 3 measurements from 2 replicate assays.

FIG. 16 is a sequence alignment demonstrating that a RFLP between the wild-type and mutant *lox-1* gene is due to a point mutation at nucleotide 2347, creating an additional AatII restriction site.

FIG. 17 is a schematic presentation of the *lox-1* PCR fragments amplified and cleaved in the polymerase chain reaction-cleavage amplified polymorphic site (PCR-CAPS) assay. The positions of PCR primers are indicated by arrows and the AatII sites are shown above the gene (sequence position). The exon and intron regions within the PCR product are distinguished by stippled and white boxes respectively, and the sizes of the AatII digestion fragments are given.

FIG. 18 is an electrophoretic agarose gel showing *lox-1* PCR fragments (652 bp) amplified in the first step of the PCR-CAPS assay from Line G and cv Vintage genomic DNA.

FIG. 19 is an electrophoretic agarose gel showing RFLP detected by PCR-CAPS in the wild-type and mutant *lox-1* gene. The AatII digestion fragments of the mutant gene include a unique 313 bp restriction fragment, indicated by an asterisk.

FIG. 20 is a table showing a back-crossing program for the single recessive gene pair ll (low lipoxygenase trait) of Line G to cv Alexis. The LL genotype are plants expressing wild-type lipoxygenase activity (dominant allele), the ll genotype are plants expressing the low-lipoxygenase (recessive allele). Ll are heterozygous plants containing both the wild-type and the low-lipoxygenase allele. Since the low-lipoxygenase trait is a recessive trait, Ll plants show wild-type lipoxygenase activity. After each round of back-crossing (including self-pollination), the ll progeny is expected to represent 25% of the progeny. The observed frequencies of low-lipoxygenase activity are indicated. The calculated percentage of the cv Alexis genetic background

having the homozygous low-lipoxygenase allele is indicated as % Alexis.
 FIG. 21 is an electrophoretic agarose gel showing PCR-CAPS detection of the mutant lox-1 gene in 11 progeny of the Line G Alexis back-cross program. PCR-CAPS assay on genomic DNA of Line G (Lane 2), cv Vintage (Lane 3), 11 progeny of 3rd (Lane 4) and 4th back-cross (Lanes 5-9). DNA ladder (Lane 1). Control, backcrossed high lox line (lane 10).
 FIGS. 22A-22B are a comparative alignment of amino acid sequences of soybean lipoxygenases LOX-1 (Gm1), LOX-2 (Gm2), LOX-3 (Gm3), and barley lipoxygenases LOX-1 (Hv1) and LOX-2 (Hv2).

L5 ANSWER 3 OF 4 PCTFULL COPYRIGHT 2006 Univentio on STN
 AN 2002053721 PCTFULL ED 20020723 EW 200228
 TIEN LOW-LIPOXYGENASE 1 BARLEY
 TIFR ORGE A LIPOXYGENASE 1 FAIBLE
 IN DOUMA, Anna, Christiana, Eikenlaan 11B, NL-3707 SB Zeist, NL [NL, NL];
 DODERER, Albert, P.O. Box 510, NL-2380 BB Zoeterwoude, NL [NL, NL];
 CAMERON-MILLS, Varena, Kirkevaenget 20, DK-2500 Valby, DK [DK, DK];
 SKADHAUGE, Birgitte, Carlsberg Research Laboratory, Lindehoejvej 31B, DK-3460 Birkerød, DK [DK, DK];
 BECH, Lene, Molskov, Rørkaer 6, DK-2765 Smørum, DK [DK, DK];
 SCHMITT, Nathalie, Cornelis Jostraat 46, NL-2584 ET Den Haag, NL [FR, NL];
 HEISTEK, Jolanda, Carolina, Van Blankenheimstraat 15, NL-3132 VA Vlaardingen, NL [NL, NL];
 VAN MECHELEN, Johannes, Reinier, Brouwersgracht 214, NL-1013 HD Amsterdam, NL [NL, NL]
 PA CARLSBERG RESEARCH LABORATORY, Gamle Carlberg Vej 10, DK-2500 Copenhagen, DK [DK, DK], for all designates States except US;
 HEINEKEN TECHNICAL SERVICES BV, 2380 BB Zoeterwoude, NL [NL, NL], for all designates States except US;
 BRASSERIES KRONENBOURG, 68, route d'Oberhausbergen, F-67037 STRASBOURG, FR [FR, FR], for all designates States except US;
 DOUMA, Anna, Christiana, Eikenlaan 11B, NL-3707 SB Zeist, NL [NL, NL], for US only;
 DODERER, Albert, P.O. Box 510, NL-2380 BB Zoeterwoude, NL [NL, NL], for US only;
 CAMERON-MILLS, Varena, Kirkevaenget 20, DK-2500 Valby, DK [DK, DK], for US only;
 SKADHAUGE, Birgitte, Carlsberg Research Laboratory, Lindehoejvej 31B, DK-3460 Birkerød, DK [DK, DK], for US only;
 BECH, Lene, Molskov, Rørkaer 6, DK-2765 Smørum, DK [DK, DK], for US only;
 SCHMITT, Nathalie, Cornelis Jostraat 46, NL-2584 ET Den Haag, NL [FR, NL], for US only;
 HEISTEK, Jolanda, Carolina, Van Blankenheimstraat 15, NL-3132 VA Vlaardingen, NL [NL, NL], for US only;
 VAN MECHELEN, Johannes, Reinier, Brouwersgracht 214, NL-1013 HD Amsterdam, NL [NL, NL], for US only
 AG HARDING, Charles, Thomas, D. Young & Co., 21 New Fetter Lane, London EC4A 1DA, GB
 LAF English
 LA English
 DT Patent
 PI WO 2002053721 A1 20020711
 DS W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
 W-U: AT CZ DE DK EE FI SK
 RW (ARIPO): GH GM KE LS MW MZ SD SL SZ TZ UG ZW
 RW (EAPO): AM AZ BY KG KZ MD RU TJ TM
 RW (EPO): AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
 RW (OAPI): BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

AI WO 2001-IB207 A 20010122
PRAI US 2000-09/751,687 20001229
IB 2000-PCT/IB00/02045 20001229
ICM C12N009-02
ICS C12N015-82; A01H005-10

L5 ANSWER 4 OF 4 PCTFULL COPYRIGHT 2006 Univentio on STN
AN 2002053720 PCTFULL ED 20020723 EW 200228

TIEN LOW-LIPOXYGENASE 1 BARLEY

TIFR ORGE A ACTIVITE DE LIPOXYGENASE 1 REDUITE

IN DOUMA, Anneke, Christiana, Eikenlaan 11B, NL-3707 SB Zeist, NL;
DODERER, Albert, P.O. Box 510, NL-2380 BB Zoeterwoude, NL;
CAMERON-MILLS, Varena, Kirkevaenget 20, DK-2500 Valby, DK;
SKADHAUGE, Birgitte, Carlsberg Research Laboratory, Lindehoejvej 31B,
DK-3460 Birkerød, DK;
BECH, Lene, Molskov, Rørkaer 6, DK-2765 Smørum, DK;
SCHMITT, Natalie, Cornelis Jostraat 46, NL-2584 ET Den Haag, NL;
HEISTEK, Jolanda, Carolina, Van Blankenheimstraat 15, NL-3132 VA
Vlaardingen, NL;
VAN MECHELEN, Johannes, Reinier, Brouwersgracht 214, NL-1013 HD
Amsterdam, NL

PA CARLSBERG RESEARCH LABORATORY, Gamle Carlsberg Vej 10, DK-2500, DK [DK,
DK];
HEINEKEN TECHNICAL SERVICES BV, 2380 BB Zoeterwoude, NL [NL, NL];
BRASSERIES KRONENBOURG, 68, route d'Oberhausbergen, F-67037 Strasbourg,
FR [FR, FR]

LAF English

LA English

DT Patent

PI WO 2002053720 A1 20020711

DS W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP
KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX
MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA
UG UZ VN YU ZA ZW

RW (ARIPO): GH GM KE LS MW MZ SD SL SZ TZ UG ZW

RW (EAPO): AM AZ BY KG KZ MD RU TJ TM

RW (EPO): AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

RW (OAPI): BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

AI WO 2000-IB2045 A 20001229

ICM C12N009-02

ICS C12N015-82; A01H005-10

Hit List

[First Hit](#) [Clear](#) [Generate Collection](#) [Print](#) [Fwd Refs](#) [Bkwd Refs](#)
[Generate OACS](#)

Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: US 20060005276 A1

L4: Entry 1 of 5

File: PGPB

Jan 5, 2006

PGPUB-DOCUMENT-NUMBER: 20060005276

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060005276 A1

TITLE: Transgenic soybean seeds having reduced activity of lipoxygenases

PUBLICATION-DATE: January 5, 2006

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Falco; Saverio Carl	Arden	DE	US
McGonigle; Brian	Wilmington	DE	US
Maxwell; Carl A.	Elkton	MD	US

US-CL-CURRENT: [800/281](#); [800/312](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
----------------------	-----------------------	--------------------------	-----------------------	------------------------	--------------------------------	----------------------	---------------------------	---------------------------	-----------------------------	------------------------	----------------------	-------------------------

☐ 2. Document ID: US 20040103453 A1

L4: Entry 2 of 5

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040103453

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040103453 A1

TITLE: Lipoxygenase genes, promoters, transit peptides and proteins thereof

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Dudler, Robert	Zurich	NC	CH
Schaffrath, Ulrich	Aachen		DE
Lawton, Kay	Research Triangle Park		US

US-CL-CURRENT: [800/279](#); [435/189](#), [435/320.1](#), [435/419](#), [530/370](#), [536/23.2](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw.Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 3. Document ID: US 20030167544 A1

L4: Entry 3 of 5

File: PGPB

Sep 4, 2003

PGPUB-DOCUMENT-NUMBER: 20030167544

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030167544 A1

TITLE: Low lipoxxygenase 1 barley

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Douma, Anna Christina	Zeist		NL
Doderer, Albert	Zoetermeer		NL
Cameron-Mills, Verena	Valby		DK
Skadhauge, Birgitte	Birkerød		DK
Bech, Lene Moelskov	Smoerum		DK
Schmitt, Natalie	Den Haag		NL
Heistek, Jolanda Carolina	Vlaardingen		NL
van Mechelen, Johannes Reinier	Amsterdam		NL

US-CL-CURRENT: 800/320.1; 800/281

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw.Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 4. Document ID: US 6660915 B2

L4: Entry 4 of 5

File: USPT

Dec 9, 2003

US-PAT-NO: 6660915

DOCUMENT-IDENTIFIER: US 6660915 B2

TITLE: Low lipoxxygenase 1 barley

DATE-ISSUED: December 9, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Douma; Anna Christina	Zeist			NL
Doderer; Albert	Zoetermeer			NL
Cameron-Mills; Verena	Valby			DK
Skadhauge; Birgitte	Birkerød			DK
Bech; Lene Moelskov	Smoerum			DK
Schmitt; Natalie	Den Haag			NL
Heistek; Jolanda Carolina	Vlaardingen			NL

van Mechelen; Johannes Reinier

Amsterdam

NL

US-CL-CURRENT: 800/320; 426/11, 426/64, 426/7, 435/183, 435/185, 800/278, 800/298

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 5. Document ID: US 6627797 B1

L4: Entry 5 of 5

File: USPT

Sep 30, 2003

US-PAT-NO: 6627797

DOCUMENT-IDENTIFIER: US 6627797 B1

TITLE: Maize lipoxygenase polynucleotide and methods of use

DATE-ISSUED: September 30, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Duvick; Jon	Des Moines	IA		
Maddox; Joyce R.	Omaha	NE		
Keller; Nancy P.	Madison	WI		

US-CL-CURRENT: 800/279; 435/320.1, 435/419, 435/430, 435/468, 536/23.2, 536/23.6, 536/24.1, 536/24.5, 800/278, 800/287, 800/295, 800/298, 800/306, 800/312, 800/314, 800/317.1, 800/317.3, 800/322

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms

Documents

L3 and (kernel or grain)

5

Display Format: [Previous Page](#)[Next Page](#)[Go to Doc#](#)